



Safety Data Sheet
LIME

SECTION 1 – IDENTIFICATION

PRODUCT NAME: LIME
EFFECTIVE DATE: May 15, 2015
CHEMICAL FAMILY/
FORMULA: Drilling Fluid Additive
Calcium Hydroxide
MANUFACTURER: SUN DRILLING PRODUCTS CORP.
503 Main Street
Belle Chasse, LA 70037

CHEMICAL EMERGENCY – Spill, Leak, Fire, Accident
USA/Canada Call 1-800 424-9300 CHEMTREC – Outside USA/Canada Call 1-703-527-3887

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION: Physical Health Hazard
Category 1, Causes serious eye damage
Category 2, Causes skin irritation
Category 4, Harmful if inhaled

LABELLING:

Symbol – Xi - Irritant
Signal Word – Danger



Pictograms:

Hazard Statements

H315: Causes skin irritation.
H318: Causes serious eye damage.
H335: May cause respiratory irritation.

Precautionary Statements

P280: Wear protective gloves, protective clothing, and eye protection.
P262: Do not get in eyes, on skin, or on clothing.
P362 + P364: Remove contaminated clothing and wash before reuse.
P302 + P352: If on skin, wash with plenty of soap and water.
P332 + P313: If skin irritation persists, seek medical advice/attention.
P305 +P351+P338+ P310: If in eyes, rise cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek emergency medical advice.

CONTINUED ON NEXT PAGE



Safety Data Sheet LIME

P261: Avoid breathing dust.

P271: Use only outdoors or in well-ventilated area.

P284: In case of inadequate ventilation, wear respiratory protection.

P304 + 340 + 312: If inhaled, remove person to fresh air and keep comfortable for breathing. If symptoms persist, seek emergency medical advice.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT	CAS NUMBER	PEL
Calcium Hydroxide	92-98	1305-62-0	15 mg/m ³ Total Dust 5 mg/m ³ Respirable Dust
Magnesium Oxide	<1.0	1309-48-4	15 mg/m ³ Total Dust 5 mg/m ³ Respirable Dust
Silicon Dioxide	<1.0	7631-86-9	30 mg/m ³ %SiO ₂ +2 (Crystalline, Quartz) Total Dust 10 mg/m ³ %SiO ₂ +2 (Crystalline, Quartz, Respirable)

The criteria for listing components in the composition are as follows: Carcinogens are listed when present at 0.1% or greater; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater. Non-hazardous components may be listed at 3.0% or greater if not proprietary in nature. This is not intended to be complete compositional disclosure. Refer to section 14 for applicable states right-to-know and other regulatory information.

EMERGENCY OVERVIEW

APPEARANCE/ODOR:

White to Grayish-White Powder/Faint Musty Odor

SHORT TERM EXPOSURE

GENERAL: Contact can cause moderate to severe irritation to the eyes, skin, respiratory system, and gastrointestinal tract.

EYES: Moderately to severely irritating, potentially resulting in corrosive eye burns on direct contact.

SKIN: Can cause irritation and defatting of skin with prolonged direct contact. Calcium hydroxide can slowly penetrate the skin, causing damage from rash to ulceration and corrosion based on the extent of exposure.

INHALATION: Mild overexposure may cause cough and bronchospasm. Severe overexposure through inhalation may cause upper airway edema and burns, noisy breathing due to obstruction in airways, and possible lung injury.

INGESTION: Ingestion may result in burns to the lips, tongue, lining of the mouth, and upper airway. Seek immediate medical attention if ingested.

OSHA REGULATED: Refer to Section 1 for OSHA permissible exposure limits for ingredients of this product.

LISTED CARCINOGEN: NTP RoC- Not listed. IARC MONOGRAPHS – Not classified*.

*This product is not listed by OSHA, NTP, or IARC as a carcinogen, but it may contain trace amounts of crystalline silica, which is classified by IARC as (Group 1) carcinogenic to humans when inhaled in the form of quartz or cristobalite.



Safety Data Sheet LIME

SECTION 4 – FIRST AID MEASURES

EYE CONTACT - In case of eye contact, flush immediately with water for a minimum of 15 minutes; pull eyelid back to ensure complete flushing of lime from eye. Do not rub eye. Seek medical attention.

SKIN CONTACT – If contact with skin results in irritation, wash thoroughly with soap and large amounts of water. Seek medical attention if irritation, reddening or burning sensation occurs and persists.

INHALATION - If affected by inhalation, remove to fresh air. Seek medical attention if respiratory irritation persists.

INGESTION - If swallowed, do not induce vomiting; seek immediate medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

FLASHPOINT: NA

EXTINGUISHING MEDIA: Use dry chemical to extinguish fire. Do not use halogenated compounds (containing Halon product). Extinguishing with water will use large volumes of water – also, material is alkaline and will increase in pH if mixed with water.

DECOMPOSITION PRODUCTS: Fire may generate toxic vapors of Chlorine or Hydrogen Chloride gas, Sodium oxides.

LOWER FLAME LIMIT: NA

HIGHER FLAME LIMIT: NA

UNUSUAL FIRE AND EXPLOSION HAZARDS: Product is not considered an explosion hazard.

FIRE FIGHTING EQUIPMENT: Fire Fighters and others exposed to products of combustion should wear self-contained breathing apparatus. Equipment should be thoroughly decontaminated after use.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

CHEMICAL EMERGENCY NUMBER (24 HOURS): CHEMTREC

1-800-424-9300 USA/CANADA

1-703-527-3887 Outside USA/Canada

SPILL: In case of spill, if product cannot be collected by sweeping or vacuum and reused, dispose of in accordance with applicable regulations. Product as sold is a nonhazardous solid industrial waste. Avoid spillage into drains, surface, and ground water. Product is an alkaline substance that increases pH to a maximum of 12.4 in a saturated water solution at 25°C.

RCRA STATUS: Not regulated.

SECTION 7 – HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and prompt removal of material from eyes, skin and clothing. Good housekeeping is essential in reducing possible slipping hazards. Product is not known to be a combustible dust hazard.

HANDLING AND STORAGE: Protect from moisture and humidity during storage. Provide sufficient general ventilation during and after application. Close container after each use to prevent contamination. Avoid prolonged or repeated contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking or smoking. If necessary, take first aid action shown in Section 4.



Safety Data Sheet LIME

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION

GENERAL CONSIDERATIONS:

Consider the potential hazards of this material (see section 3), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting protective equipment.

EYE PROTECTION: Use close-fitting safety glasses, goggles, or safety glasses with face shield to prevent particles from contacting eye.

RESPIRATORY PROTECTION: Use NIOSH N95 or similar approved protection for particulates if exposure is unknown or exceeds any permissible limits.

PROTECTIVE GLOVES: Wear impervious gloves; natural rubber, nitrile rubber, and neoprene rubber are recommended.

PROTECTIVE CLOTHING: Chemical-resistant clothing, close-fitting at wrists and ankles, should be worn to prevent skin contact.

VENTILATION: Process enclosure, General or Local exhaust to prevent exposures from exceeding permissible limits.

LOCAL EXHAUST: Recommended in closed places.

Use NIOSH/MSHA approved respiratory protection equipment when airborne exposure limits are exceeded (see below). Consult the respirator manufacturer to determine appropriate type of equipment for a given application. Observe respirator use limitations specified by NIOSH/MSHA or the manufacturer. Respiratory protection programs must comply with 29 CFR 1910.134.

VENTILATION NOTES: Enclose process or provide general or local ventilation to control exposure levels below airborne exposure limits (see below). The use of local mechanical exhaust ventilation is preferred at sources of air contamination such as open process equipment. Consult NFPA Standard 91 for design of exhaust systems.

ACGIH THRESHOLD LIMIT VALUE: 5 mg/m³ Respirable Dust

PROTECTIVE EQUIPMENT: HMIS PERSONAL PROTECTION INDEX: H – goggles, gloves, apron, respirator

The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/ODOR:	White crystals/Odorless
BOILING POINT:	Decomposes at 1076°F, to Calcium Oxide
FREEZING POINT:	N/A
FLASHPOINT:	N/A
VAPOR PRESSURE:	N/A
VAPOR DENSITY (AIR = 1):	N/A
SPECIFIC GRAVITY	2.2 - 2.4
pH:	~12.45 @ 25°C
SOLUBILITY IN WATER:	Negligible



Safety Data Sheet LIME

SECTION 10 – STABILITY AND REACTIVITY

STABILITY:	Stable under normal ambient and anticipated storage and handling conditions, unless in contact with incompatible materials listed below.
HAZARDOUS POLYMERIZATION:	Will Not Occur.
CONDITIONS TO AVOID:	Contact with the following: Strong acids, such as Hydrochloric, Sulfuric, and Nitric, Reactive Fluoridated Compounds, Reactive Brominated Compounds, Reactive Powdered Metals such as Lithium, Organic Acid Anhydrides, Nitro-Organic Compounds, Reactive Phosphorus Compounds, or Interhalogenated Compounds such as Bromine Trifluoride.
INCOMPATIBILITY:	Compounds listed above.

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: This product is not acutely toxic via the oral, dermal, or inhalation route.

SKIN CORROSION/IRRITATION: Contact can severely irritate and burn the skin.

IRRITATION/SERIOUS EYE DAMAGE/: Direct eye contact with product can cause irritation and possible serious eye damage.

GERM CELL MUTAGENICITY: ND

CARCINOGENICITY: ND

REPRODUCTIVE TOXICITY: ND

STOT-SINGLE EXPOSURE: There is no evidence associating single exposure to the substance with a consistent and identifiable toxic effect.

STOT- REPEATED EXPOSURE: There is no evidence associating repeated exposure to the substance with a consistent and identifiable toxic effect.

ASPIRATION HAZARD: N/A

SECTION 12 – ECOLOGICAL INFORMATION

Data from laboratory studies and from scientific literature is noted below if available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Follow applicable governing regulations for disposal. Product as sold is nonhazardous per RCRA.



Safety Data Sheet
LIME

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this SDS will make their own determination as to its suitability for their intended purpose prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal Regulations concerning the Product.

NO REPRESENTATIONS OR WARRANTIES EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THIS INFORMATION REFERS.

This is the LAST PAGE of this SDS